

GP Based Remainder App

P. Sathish kumar¹, S. Magesh²

¹Final Year CSE Student, ²Professor, Department of Computer Science and Engineering,
Saveetha School of Engineering, Saveetha Institute of Medical and Technical Sciences, Chennai
¹Sathishperugu1999@gmail.com, ²magesh.sse@saveetha.com

Article Info

Volume 83

Page Number: 3700-3702

Publication Issue:

May-June 2020

Article History

Article Received: 19 August 2019

Revised: 27 November 2019

Accepted: 29 January 2020

Publication: 12 May 2020

Abstract

In the present time of advanced cells everyone is associated with the PDAs, there are such huge numbers of uses on Android PDAs to finish client's fundamental undertaking in day by day life as we consider the assignment of client that the person needs to play out some errand on specific area when client will reach at that particular area, ordinarily client overlooks these sort of stuff in day by day occupied life to recall the area and what task the person needs to do. It is extremely confused for the client who needs to go through a few areas in day by day life. So as to take care of this issue we built up the framework called "Area Based Task Reminder System Using Android Mobile" right now are bringing the client's present area through android cell phones utilizing Google Map, GPS and permit them to set update about that task on that predetermined area. Right now can include different errand updates at numerous areas this will make compelling for the clients.

Keywords: ServerOracle/MySql, Internet Explorer chrome, Eclipse, Java

1. Literature Review

Title: "The effectiveness of interventions using electronic reminders to improve adherence to chronic medication: a systematic review of the literature.

Author: M. Vervloet, A. J. Linn, J. C. M. van Weert,

Description:

Numerous patients experience challenges in clinging to long haul treatment. In spite of the fact that patients' explanations behind not being follower are assorted, one of the most ordinarily detailed hindrances is distraction. Reminding patients to take their prescription may give an answer. Electronic updates (naturally sent updates without individual contact between the human services supplier and patient) are presently progressively being utilized in the push to improve adherence. To inspect the adequacy of intercessions utilizing electronic updates in improving patients' adherence to incessant prescription. A thorough writing search was directed in PubMed, Embase, PsycINFO, CINAHL and Cochrane Central Register of Controlled Trials. Electronic quests were enhanced by manual looking of reference records and audits. Two commentators freely screened all references. Full content was acquired from chosen references and screened for conclusive consideration. The methodological nature of studies was surveyed. Thirteen examinations met the consideration criteria. Four examinations assessed short message administration (SMS) updates, seven varying media updates from

electronic update gadgets (ERD), and two pager messages. Best proof combination uncovered proof for the viability of electronic updates, gave by eight (four high, four low quality) examines demonstrating huge consequences for patients' adherence, seven of which estimated transient impacts (follow-up period <6 months). Improved adherence was found in everything except one examination utilizing SMS updates, four investigations utilizing ERD and one pager mediation. What's more, one top notch study utilizing an ERD discovered subgroup impacts. This audit gives proof to the transient adequacy of electronic updates, particularly SMS updates. Nonetheless, long haul impacts stay muddled.

Title: "Patient reminder and patient recall systems to improve immunization rates,"

Author: V. J. C. Jacobson and P. Szilagyi


Description: Vaccination rates for youngsters and grown-ups are rising, however inclusion levels have not arrived at ideal objectives. Because of low inoculation rates, vaccine-preventable sicknesses despite everything happen. In a period of expanding multifaceted nature of vaccination plans, rising assumptions regarding the presentation of essential consideration, and huge requests on essential consideration doctors, it is critical to comprehend and advance mediations that work in essential consideration settings to build inoculation

inclusion. A typical topic across inoculation programs in all countries includes the test of deciding the denominator of qualified beneficiaries (for example all kids who ought to get the measles antibody), and recognizing the best system to guarantee high immunization rates. Methodologies have concentrated on patient-oriented intercessions (for example tolerant updates), supplier intercessions, and framework mediations. One mediation methodology includes persistent update and review frameworks.

2. Proposed Approach

We proposed the framework "Area Based Task Reminder System Using Android Mobile" in which we executed the administrations which are survived and arrangement on the current methodology. Right now can ready to get his present area even he can peruse any of area and include task update that specific area through the Android application. At the point when client will arrive at the predetermined area through Android application it will check the errand update's predefined area and its scope and longitude if the assignment update's area is coordinated with current area of the client the alert of undertaking update will be created by the Android application. This all exercises will be finished by utilizing Google guide and GPS administrations. We utilized Android programming and working framework for this framework which permits simple establishment of utilization. Our proposed framework permit client to include many undertaking update a similar area and can include numerous assignment update in the application. In our proposed framework it doesn't give consistent suggestion to the client it just showcase the undertaking update until and except if the client decrease that notice, looking of area from momentum area is viable in our framework when client will look through any area and include task update that looked through area it will be put away in the Android advanced cells database and if client got the alarm from application about assignment update and client decay it or drop it that will erase from Android PDAs database. It doesn't gather any pre-owned records client can include new area task update and in the event that he needs to proceed with a similar area he can likewise set same undertaking update for same area without dropping it.

3. System Architecture



The most significant stage in framework advancement life cycle is framework trying. The number and nature of mistakes in a recently structured framework relies upon the framework particulars and the time period given for the plan.

A recently planned framework ought to have all the subsystems cooperating, however in actuality every subsystem work freely. During this stage, all the subsystems are accumulated into one pool and tried to decide if it meets the client prerequisites.

Testing is done at two level - Testing of individual modules and testing the whole framework. During the framework testing, the framework is utilized tentatively to guarantee that the product will run by the details and in the manner the client anticipates. Each experiment is planned with the expectation of discovering mistakes in the manner the framework will process it.

Testing assumes an exceptionally basic job in deciding the unwavering quality and productivity of programming and subsequently is a significant stage in programming improvement. Programming testing is done at various levels. They are the unit testing and framework testing which contains mix testing and acknowledgment testing.

4. Implementation

Usage is the procedure that really yields the most minimal level framework components in the framework chain of importance (framework breakdown structure). The framework components are made, purchased, or reused. Creation includes the equipment manufacture procedures of shaping, evacuating, joining, and completing; or the product acknowledgment procedures of coding and testing; or the operational methodology advancement forms for administrators' jobs. In the event that execution includes a creation procedure, an assembling framework which utilizes the set up specialized and the executives procedures might be required.

The reason for the execution procedure is to structure and make (or create) a framework component fitting in with that component's plan properties and additionally necessities. The component is developed utilizing fitting innovations and industry rehearses. This procedure connects the framework definition forms and the incorporation procedure.

Framework Implementation is the phase in the task where the hypothetical structure is transformed into a working framework. The most basic stage is accomplishing a fruitful framework and in giving certainty on the new framework for the client that it will work productively and viably. The current framework was long time process.

The proposed framework was created utilizing JAVA. The current framework caused long time transmission process yet the framework grew now has a generally excellent easy to understand apparatus, which has a menu-based interface, graphical interface for the end client. In the wake of coding and testing, the task is to

be introduced on the fundamental framework. The executable record is to be made and stacked in the framework. Again the code is tried in the introduced framework. Introducing the created code in framework as executable record is usage.

5. Conclusion

These days, the majority of the individuals carry on with an exceptionally bustling life. Right now regularly disregard things that they needed to do. Individuals frequently neglect to get certain things when they pass directly by the basic food item shop. With the beginning of versatile world correspondence. The utilization of advanced mobile phones has indicated a lofty ascent, android being a lion's share working framework in the cell phones. The application will permit the client set up an update that you have to get a few food supplies at your favored grocery store chain. This application would then demand the shop areas from a server and remind you at whatever point you are, e.g., 200 meters close from the shop. The client can spare certain undertakings to be done when they are close by to a predetermined area and the application will remind the client when they are near the area. It is the area based update application offers area based updates which sends a ready when you get to (or leave) a particular spot. The point is to have the option to help the client to remember certain errands which are explicit to one point as it were. The application is energetically suggested for the individuals who are very confused and neglectful which is very normal in the advanced way of life. The application is intended to spare the time, increment effectiveness and diminish disappointment.

References

- [1] A. F. Williams, J. K. Wells, and C. M. Farmer, "Effectiveness of Ford's belt reminder system in increasing seat belt use," *Injury Prevention* 2002, 8, pp. 293–296, 2002.
- [2] M. Vervloet, A. J. Linn, J. C. M. van Weert, D. H. de Bakker, M. L. Bouvy, and L. van Dijk, "The effectiveness of interventions using electronic reminders to improve adherence to chronic medication: a systematic review of the literature," *Journal of the American Medical Informatics Association*, 19(5), pp. 696–704, 2012.
- [3] V. J. C. Jacobson and P. Szilagyi, "Patient reminder and patient recall systems to improve immunization rates," *Cochrane Database Syst. Rev.*, 3, CD003914, 2005.
- [4] S. R. Downer, J. G. Meara, and A. C. Da Costa, "Use of SMS text messaging to improve outpatient attendance," *Medical Journal of Australia*, 183(7), p. 366–368, 2005.
- [5] G. Chen and D. Kotz, "A survey of context-aware mobile computing research," Technical Report TR-2000-381, Dept. Computer Science, Dartmouth College, 2000.
- [6] B. Schilit, N. Adams, and R. Want, "Context-aware computing applications," in *Proc. 1994 First Workshop on Mobile Computing Systems and Applications*, pp.85–90, 1994.
- [7] A. K. Dey and G. D. Abowd, "CybreMinder: A context-aware system for supporting reminders," in *Proc. 1st International Symposium on Handheld and Ubiquitous Computing (HUC2K)*, pp. 172–186, 2000.
- [8] J. Burrell and G. K. Gay, "E-graffiti: evaluating real-world use of a context-aware system," *Interacting with Computers*, 14(4), pp. 301–312, 2002.