

The Effect of Social Support on Post-Traumatic Stress of Firefighters

Sung-Sim Lee^{1*}, Sookyong Jeong^{1**} and Young-Soon Choi^{2***}

¹Department of Nursing, Saekyung College, 197, Hasong-ro, Yeongwol-eup, Yeongwol-gun, Gangwon-do 26239, Republic of Korea

²Department of Nursing, Kangwon National University, Samcheok-si, Gangwon-do, 25949, Republic of Korea
e-mail:

*kkamansung@naver.com **sk22330@hanmail.net

***Corresponding author: ysc615@kangwon.ac.kr

Article Info

Volume 83

Page Number: 5591 - 5597

Publication Issue:

May - June 2020

Abstract

This study was attempted to provide basic data on mental health by identifying factors affecting the post-traumatic stress of firefighting officers. The questionnaire consisted of demographic characteristics, social support and post-traumatic stress. The collected data were analyzed using SPSS 21.0 statistical program. The results of this study showed that the difference in social support according to general characteristics was the result of work experience, subjective health state and in post-traumatic stress, statistically significant differences were shown in subjective health state, feeling the need for counseling, and mental health service experience. Post-traumatic stress showed a static negative correlation with emotional support, information support, material support, and evaluation support. But social support showed a positive correlation with all of the sub domain. Based on the above results, regression analysis showed that factors affecting post-traumatic stress were feeling the need for counseling, subjective health status, and social support and the factors used in the analysis explained 20.9% of post-traumatic stress.

Article History

Article Received: 19 November 2019

Revised: 27 January 2020

Accepted: 24 February 2020

Publication: 17 May 2020

Keywords: firefighters, social support, post-traumata, stress

1. INTRODUCTION

Fire service officers are special civil servants who are responsible not only for fire but also for the emergency rescue function of all disasters including human and natural disasters (Kim 2012). Regarding the duties of the Ministry of Fire, the Basic Law of Fire Service "protects people's life, body and property through fire prevention, vigilance, suppression, fire, disaster, disaster and other emergency situations, and to contribute to the promotion of welfare" (Basic Law of Fire Service 2011).

Firefighters are under a lot of stress due to poor working environment and shift work compared to general public employees. In addition, there is always anxiety that you can do it because of your colleagues' injuries or turnover in the sense of duty and tension about saving people's lives in fire, rescue, emergency activities, and disaster field activities, it is a cause of health threat due to the adverse effects of psychological and physical pain experienced in extreme situations, and it is also negatively affected by the efficiency of work (Seo 2015; Shin 2016; Lee 2019).

Firefighters are also known to be at high risk for mental aftereffects such as depression and post-traumatic

stress disorder (PTSD) compared to the general public due to repeated exposure to trauma cases (Park et al. 2013).

In the case of firefighting officers in developed countries, 17% in Canada, 18% in the United States, and 17.7% in Japan have the prevalence of post-traumatic stress disorder. In the recent survey, 36.5 percent of Korean firefighters are at high risk for post-traumatic stress disorder (Fire and Emergency Management Agency, 2013), which is higher than other countries, and the seriousness is emerging as a social problem (Park et al. 2013). Post-traumatic stress disorder is a disorder that occurs when you experience severe stress from trauma. In other words, after experiencing a serious trauma, it is a disorder that occurs after trauma exposure, repeatedly experiencing the event, avoiding the stimulus associated with the event continuously, and showing an increase in paralysis and arousal (Kim et al. 2003). And with this condition, depression, anxiety, loss of interest, difficulty in concentration in everyday life, indifference in interpersonal relationships, surprise, and stupid attitude, and sleep disorders and irritation are shown. And if there are victims in trauma cases, they may have guilt, shame, and rejection of surviving alone (Kim et al. 2003).

A study on personal factors associated with post-traumatic stress disorder has a relationship with depression, anxiety, and emotional disorders (Breslau et al. 1991). The past experience of treatment for psychological disorders, and the degree of experience of post-traumatic stress disorder may vary depending on neurosis (Ursano et al. 1994).

Social support is an environmental variable that means a variety of positive resources, such as love, recognition, material help, and information, which can be obtained from others through social relationships, and is an environmental variable that plays an important role in human healthy development and adaptation by fully satisfying the basic social needs of people and forming control over the environment (Kim et al. 2002; Oh 2005). Cobb (1976) stated that he believed that he was loved, respected, valued by others, and believed to be a member of a communication network (Oh 2005).

Those who receive social support are more adaptable to overcome negative stress, while those who do not receive social support are more likely to be depressed due to reduced adaptability (Park et al. 1993). Social support can protect you from the emotional and physical symptoms of stress and relieve your symptoms (Lee et al. 2008). In general, the appropriateness of social support is the most important analysis in the sources of support (source) and type (type) (Shinn et al. 1984; Lee 2001). The source of social support for post-traumatic stress of firefighting officers is family, friends, colleagues, society, religious organizations, and social organizations (Yoo 2006; Lee 2018; Jee 2019).

There is a previous study on social support among the factors that alleviate post-traumatic stress of firefighting officers (Lee et al. 2008; Lee 2001; Bae 2010)), but there is a lack of research on how the support target affects social support.

This study confirms the social support of firefighting officers and the degree of post-traumatic stress, and confirms the relationship between social support and post-traumatic stress. In addition, we conducted this study to identify factors affecting post-traumatic stress and to use it as basic data to improve the mental health of firefighting officers and to help them find ways to cope with stress.

2. STUDY METHOD

2.1. RESEARCH DESIGN

This study was a descriptive research using structured questionnaires to investigate the effect of social support on the post-traumatic stress of fire fighter.

2.2. STUDY SUBJECT

This study was conducted for fire fighter in Y city in Gangwondo Province. The purpose of this research was

understood and it was conveniently extracted to those who voluntarily agreed to participate in the research. The number of samples was calculated by using G*Power 3.1.5 program for multiple regression analysis, the significance level was calculated as .05, the power was .95, the effect size was .15, and the final sample size was 138 people. A total of 150 copies were distributed in consideration of the number of dropouts, and 140 copies were collected. Among them, 138 data were used for the final analysis except for 2 cases where the response was insufficient.

2.3. STUDY TOOLS

Social Support. Social support tools developed by Park(1985) were used (Park 1985). The tool consists of the sub domain of emotional support, information support, material support, and evaluative support. A total of 25 questions, a 5-point Likert scale, means that the higher the score, the higher the social support. The Cronbach's value in the study of Park was .95, and the Cronbach's value in this study was .98.

Post-traumatic Stress. The Impact of Evant Scale (Impact of Evant Scale: IES) developed by Horowitz(1979) (Horowitz et al. 1979), which was used the Impact of Evant Scale Revision Korean(IES-R-K) (Eun et al. 2005). The tool consists of the sub domain of over-awakening, avoidance invasion, sleep disorders, emotional paralysis, and dissociation symptoms. A total of 22 questions, a 5-point Likert scale, means that the higher the score, the higher the post-traumatic stress. The Cronbach's value in the study of Eun was .83, and the Cronbach's value in this study was .96.

2.4. DATA COLLECTION METHOD

Data collection was made through the one-to-one interview by each individual with a researcher and 3 research assistants, who were trained in advance, from May 1, 2018, to May 31. A structured questionnaire was used in subjects with a written consent of participating in the research. A total of 160 copies were distributed in consideration of the number of dropouts, and 150 copies were collected. Among them, 146 data were used for the final analysis except for 3 cases where the response was insufficient.

2.5. DATA ANALYSIS METHOD

The collected data are analyzed using the SPSS 21.0 program as follows. Social support and post-traumatic stress level according to the demographic characteristics of the subjects was analyzed with descriptive statistics, t-test, ANOVA, and post-test were used for Scheff'e test. The correlations between social support and post-traumatic stress were analyzed using Pearson's

correlation. The effects of the post-traumatic stress were analyzed by multiple regression.

3. RESULTS

3.1. DIFFERENCE IN SOCIAL SUPPORT, POST-TRAUMATIC STRESS OF ACCORDING TO GENERAL CHARACTERISTICS

The difference between social support and post-traumatic stress according to general characteristics, Social support is based on the work experience ($F=3.07$, $p<0.05$), subjective health state ($F=7.45$, $p<0.001$), In post-traumatic stress, statistically significant differences were shown in subjective health state ($F=4.43$, $p<0.05$), feeling the need for counseling and treatment ($t=3.31$, $p<0.001$), and mental health service experience ($t=3.30$, $p<0.05$) (Table 1).

Table I. Difference in Social Support, Post-traumatic Stress of According to General Characteristics. (N=138)

Characteristics	Categories	n(%)	Social support		Post-traumatic stress	
			M±SD	t/F(p), Scheffe	M±SD	t/F(p), Scheffe
Gender	Male	126(91.3)	91.16±17.64	0.56(.570)	36.50±14.71	0.50(.618)
	Female	12(8.7)	88.16±15.16		34.33±9.14	
Age(year)	20~29	18(13.0)	91.33±16.94	0.46(.708)	37.55±14.87	0.11(.951)
	30~39	51(37.0)	92.62±16.61		36.60±15.07	
	40~49	57(41.3)	90.17±17.33		35.52±12.69	
	50~59	12(8.7)	86.41±22.60		36.91±18.66	
Education	High school	34(24.6)	88.73±18.84	0.34(.791)	36.44±15.01	0.12(.943)
	College	32(23.2)	90.53±16.84		36.25±16.05	
	University	70(50.7)	92.24±17.23		36.10±13.45	
	Graduate school	2(1.4)	87.00±15.55		42.50±6.36	
Total experience work (years)	< 5yr a	40(29.1)	88.75±14.82	3.07(.018) b>c>a>d>e	37.70±13.67	1.34(.258)
	6yr ~ 10yr b	33(23.9)	98.63±17.76		38.00±17.01	
	11yr ~ 15yr c	21(15.2)	93.66±16.55		34.61±10.60	
	16yr ~ 20yr d	10(7.2)	87.30±19.08		27.10±6.13	
	> 20yr e	34(24.6)	85.29±17.93		29.65±12.06	
Subjective health state	Very healthy a	20(14.5)	103.05±15.67	7.45(<.001) a,b>c,d>e	29.65±12.06	4.43(.002) e>c,d>a,b
	General health b	66(47.8)	93.39±16.23		34.10±12.38	
	Usually c	33(23.9)	84.24±16.91		39.87±16.20	
	Slight disease d	17(12.3)	83.47±13.55		43.41±14.45	
	Serious disease e	2(1.4)	60.50±6.36		56.50±16.23	
Consider counseling, treatment help	Yes	22(15.9)	88.40±16.87	-0.73(.465)	45.27±16.21	3.31(.001)
	No	116(84.1)	91.37±17.55		34.61±13.32	
Experience in using mental health services	Yes	7(5.1)	85.85±23.81	-0.78(.433)	51.71±9.77	3.00(.003)
	No	131(94.9)	91.17±17.09		35.48±14.06	

3.2. LEVEL OF SOCIAL SUPPORT AND POST-TRAUMATIC

The post-traumatic stress was 36.31 ± 14.30 on the scale of 110 points. The level of social support was 90.90 ± 17.41 on the scale of 125, in the sub domain, emotional support was 25.78 ± 5.09 on the scale of 35, informative support was 22.13 ± 4.40 on the scale of 30,

material support was 20.79 ± 4.49 on the scale of 30, and evaluative support was 22.24 ± 4.45 on the scale of 30 points (Table 2).

Table II. Level of Social Support and Post-traumatic Stress. (N=138)

Variable	Range	M±SD	Evaluative						
Post-traumatic stress	22 ~ 110	36.31±14.30	support	-.276**	.955**	.896**	.876**	.833**	1
Social support	25 ~ 125	90.90±17.41							
Emotional support	7 ~ 35	25.78±5.09							
Information support	6 ~ 30	22.13±4.40							
Material support	6 ~ 30	20.79±4.49							
Evaluative support	6 ~ 30	22.24±4.45							

* p<.05, ** p<.01, *** p<.001

3.4. FACTORS AFFECTING POST-TRAUMATIC STRESS

Before the regression analysis, tolerance and Variance Inflation Factor(VIF) values were examined to see whether multicollinearity occurred between the variables, as a result, the dispersion limit value is greater than 0.1 in both .82 to .96, and the dispersion expansion value is 1.03 to 1.29, there is no problem of multicollinearity. Statistically significant variables include subjective health status, consider counseling, treatment help, experience of using mental health services, working experience and social support, and multiple regression analysis. As a result of factors affecting post-traumatic stress the consider counseling, treatment help($\beta=-.229$, $p<.05$), subjective health state($\beta=.210$, $p<.05$), social support($\beta=-.201$, $p<.05$) were statistically significant. The Social support, consider counselling, treatment help, experience in using mental health service and total work experience was analyzed as having a negative effect on the post-traumatic stress, and the post-traumatic explanatory power of the factors used in the analysis was 20.9% (Table 4)

3.3. CORRELATION BETWEEN SOCIAL SUPPORT AND POST-TRAUMATIC STRESS

The post-traumatic stress was significant negative correlated with social support($r=-.290$, $p<.001$), emotional support($r=-.240$, $p<.001$), information support($r=-.301$, $p<.001$), material support($r=-.269$, $p<.001$), and evaluation support($r=-.276$, $p<.001$). The Social support was significant positive correlated with emotional support($r=.942$, $p<.001$), information support($r=.948$, $p<.001$), material support($r=.918$, $p<.001$), and evaluation support($r=.955$, $p<.001$). The emotional support was significant positive correlated with information support($r=.849$, $p<.001$), material support($r=.790$, $p<.001$), and evaluation support($r=.896$, $p<.001$). The information emotional support was significant positive correlated with material support($r=.846$, $p<.001$), evaluation support($r=.876$, $p<.001$). The material support was significant positive correlated with evaluation support($r=.833$, $p<.001$) (Table 3).

Table IV. Factors Affecting Post-traumatic Stress. (N=138)

Variable	B	SE	β	t	p
(Constant)	86.394	14.420		5.645	.000
Social support	-.165	.069	-.201	-2.410	.017
Subjective health state	3.230	1.329	.210	2.431	.016
Consider counseling, treatment help	-8.919	3.030	-.229	-2.943	.004
Experience in using mental health services	-9.011	5.188	-.139	-1.737	.085
Total work experience	-1.373	.741	-.149	-1.922	.057
	Adj R ² =	R ² =	F=8.21	P	
	.237	.209		<.001	

4. DISCUSSIONS

This study was conducted to identify the social support of firefighting officers and the degree of post-traumatic stress. The results of the study showed that the post-traumatic stress was significantly negative correlated with social support, emotional support, information support, material support, and evaluation support. The social support was significantly positive correlated with emotional support, information support, material support, and evaluation support. The emotional support was significantly positive correlated with information support, material support, and evaluation support. The information support was significantly positive correlated with material support, and evaluation support. The material support was significantly positive correlated with evaluation support. The results of the regression analysis showed that the social support, consider counseling, treatment help, experience in using mental health services, working experience and social support, and total work experience were statistically significant. The social support, consider counselling, treatment help, experience in using mental health service and total work experience was analyzed as having a negative effect on the post-traumatic stress, and the post-traumatic explanatory power of the factors used in the analysis was 20.9% (Table 4)

Table III. Correlation between Social Support and Post-traumatic Stress. (N=138)

Variable	Post-traumatic stress	Social support	Emotional support	Information support	Material support	Evaluative support
Post-traumatic stress	1					
Social support	-.290**	1				
Emotional support	-.240**	.942**	1			
Information support	-.301**	.948**	.849**	1		
Material support	-.269**	.918**	.790**	.846**	1	
Evaluative support	-.276**	.955**	.896**	.876**	.833**	1

traumatic stress in the C- and Y-gun firefighting officers in Gangwon-do, and to identify the factors affecting their relevance and post-traumatic stress. Firefighters are experiencing constant physical and mental stress, especially traumatic events, and are frequently exposed to traumatic events such as terrible sites, which is highly dangerous to post-traumatic stress disorder be reported (Yug 2018).

The study found that the social support of firefighters was 90.90 ± 17.41 on a scale of 125, and the difference in social support based on general characteristics was significant in working experience ($F = 3.07$, $p < .05$), subjective health condition ($F = 7.45$, $p < .001$). One of the preventions that generally prevent stress-related diseases is social support (social support). Social support helps overcome the painful feelings of trauma (Tedeschi et al. 2004) and reports that social support is a major factor in reducing the stress of firefighters (Shin 2015).

In this study, post-traumatic stress of firefighting officers was found to be 36.31 ± 14.30 out of 110, and the difference in post-traumatic stress according to general characteristics was found in subjective health condition ($F = 4.43$, $p < .05$), feeling the need for counseling and treatment ($t = 3.31$, $p < .001$) and mental health service ($t = 3.30$, $p < .05$). In this study, work experience did not affect post-traumatic stress and did not have a direct impact on previous studies (Kim et al. 2012), [22], but it was shown that indirect pathways affected post-traumatic stress. However, a study that the work experience of firefighters affects job stress is reported as one of the variables that increase the degree of stress, and repetitive exposure of trauma caused by job is likely to lead to post-traumatic stress disorder (Oh et al. 2006).

Post-traumatic stress has a negative correlation with social support ($r = .290$, $p < .001$), and which is the subdomains of social support ($r = .301$, $p < .001$) is emotional support ($r = .240$, $p < .001$), information support ($r = .301$, $p < .001$), material support ($r = .269$, $p < .001$), and evaluative support ($r = .276$, $p < .001$), and it has been shown that there is a significant negative correlation with all. In previous studies, social support reports the most significant result of post-traumatic stress relief factors of firefighters (Lee et al. 2008; Yoo 2006; Bae 2010)). Previous studies of domestic firefighting officers have reported that job satisfaction and stress coping are representative factors for relieving post-traumatic stress (Ryu et al. 2017).

Firefighters are high-risk occupations and the prevalence of post-traumatic stress disorder is very serious (Ryu et al. 2017), firefighters with severe post-traumatic stress symptoms reported depression and alcohol problems (Lee et al. 2012), depression was the most affected among the various stress factors that increased the level of post-traumatic stress disorder of firefighting officers (Park et al. 2013; Lee 2018). The results of this study showed significant effects on post-

traumatic stress in the order of feeling the need for counseling and treatment ($\beta = -.229$, $p < .05$), subjective health ($\beta = .210$, $p < .05$), and social support ($\beta = -.201$, $p < .05$). This shows that firefighters are realizing the necessity of counseling and treatment in relation to post-traumatic stress, and the more they feel unhealthy, the more stressful they are after trauma. Therefore, more professional and periodic counseling and treatment should be provided in relation to post-traumatic stress for firefighting officers, and social support for relieving stress of firefighting officers, that is, emotional, informational, material and evaluation support should be made.

5. CONCLUSION

This study was conducted to identify the social support of firefighting officers and the degree of post-traumatic stress, to identify factors affecting social support and post-traumatic stress, and to make a basic effort to improve the mental health of firefighting officers.

Based on this study, we would like to make the following suggestions. First, it is necessary to study the counseling and treatment of experts who can experience continuous physical and mental stress and apply to firefighters who are frequently exposed to trauma cases. Second, follow-up studies on the relationship between post-traumatic stress and social support of firefighters are needed and research and attention are needed to apply social support. Third, research and interest in the development and application of intervention programs to alleviate post-traumatic stress of firefighters are needed.

REFERENCES

- [1] Bae, J. M. "A study on the Relationship Between Mobilization Impacts, Social Supports, Coping Behaviors and PTSD Symptoms & Psychological Wellbeing in Emergency Service Firefighters." *Journal of the Korea government*, 44.3 (2010): 141-163
- [2] Basic Law of Fire Service Article 1, 2011.
- [3] Breslau, Naomi, et al. "Traumatic events and posttraumatic stress disorder in an urban population of young adults." *Archives of general psychiatry* 48.3 (1991): 216-222.
- [4] Eun, H. J. Gwon, T. W, Lee, S. M. Kim, T. H. Choi, M. L. Cho, S. J.. "A study on reliability and validity of the Korean version of impact of event scale-revised." *Journal of Korean Neuropsychiatric Association* 44.3 (2005): 303-310.
- [5] Jee, Y. J. Yang, S. K. "A Study on Relationships among Self-esteem, Major Satisfaction, Social Support and College Life Adjustment of Nursing

- Students.” *International Journal of Advanced Nursing Education and Research* 4.2 (2019): 53-58.
- [6] Horowitz, Mardi, Nancy Wilner, and William Alvarez. "Impact of Event Scale: A measure of subjective stress." *Psychosomatic medicine* 41.3 (1979): 209-218.
- [7] Kim, S. T. "The relationship between the restriction on leisure, lifestyle and the quality of life on police and a firefighting officer who is participated in leisure activity." Doctoral Thesis, Yongsin University, Republic of Korea, 2012, p. 127.
- [8] Kim, S. J. Cho, G. O. "The relationship among perceived social support, self-esteem and behavior problems of middle-school students." *Theory and practice of education* 13.1 (2002): 361-385.
- [9] Kim, S. J. Kim, H. "Posttraumatic stress disorder: the aftermath of a shocking experience." Hakjisa, Republic of Korea, 2003, p.171.
- [10] Kim, Y. J. Bae, J. Y. "Construction of a post-traumatic stress model for fire fighters." *J Korean Acad Psych Mental Health Nurs.* 21.4 2012.: 282-291.
- [11] Lee, Hong-Eui, et al. "The effect of resilience on posttraumatic stress disorder symptoms and comorbid symptoms in firefighters." *Anxiety and mood* 8.2 (2012): 86-92.
- [12] Lee, J. H. Gang, M. H. "Impact of Academic Stress on Depression among Nursing Students: Testing for the Moderating Effect of Social Support." *International Journal of Advanced Nursing Education and Research.* GVPress. 3.1 (2018): 101-106.
<http://dx.doi.org/10.21742/IJANER.2018.3.1.17>
- [13] Lee, J. Y. Yoo, J. M. Hyun, M. H. "The effects of emotional intelligence, active coping and social support on PTSD Symptoms of firefighters." *Journal of Korean Psychology*, 13.2 2008): 373-389.
- [14] Lee, K. N. "Elderly and social support." *Busan Women's University, South Korea* 23 (2001): 303-346.
- [15] Lee, S. H. Kim, M. K. "The Association between Physical Violence Experience and Post-Traumatic Stress Disorder in Emergency Department Nurses: The Moderating Role of Isolation." *International Journal of Advanced Nursing Education and Research.* GVPress. 3.1 (2018): 39-44.
<http://dx.doi.org/10.21742/IJANER.2018.3.1.07>
- [16] Lee, S. S. Jeong, S. K. Choi, Y. S. "Effects of Social Support on Post-Traumatic Stress of Firefighters." *International Journal on Consulting Psychology for Patients (IJCPP) proceeding*, 3.1 (2019): 7-14.
- [17] Lee, S. S. Jeong, S. K. Choi, Y. S. "Factors Influencing on Stress Coping and Resilience of Firefighters." *International Journal of IT-based Social Welfare Promotion and Management.* GVPress. 6.1 (2019): 13-18.
<http://dx.doi.org/10.21742/IJSWPM.2019.6.1.03>
- [18] Oh, J. H. Lim, N. Y. "Analysis of factors influencing secondary traumatic stress, burnout, and physical symptom in firefighters." *Korean Journal of Fundamentals of Nursing*, 13 (2006): 96-106.
- [19] Oh, S. O. "Mediating effect of emotional regulation in the relationship between social support and subjective well-being." Master's Thesis, Korea University, Republic of Korea, 2005, p 73.
- [20] Park, H. S. Son, C. N. Oh, S. W. "The effects of stress, social support, dysfunctional attitude and coping style upon depression." *Korean Journal of Clinical Psychology*, 12.2 (1993): 425-437.
- [21] Park, J. B. Cho, S. D. "The Relationship between Depression and Post Traumatic Stress Disorder among Firefighters." *Journal of the Korean Society of Hazard Mitigation*, 13.5 (2013): 219-224.
- [22] Park, J. W. "A study on the development of social support scale." Doctoral Thesis, Yonsei University, Republic of Korea, 1985, p. 127.
- [23] Ryu, J. A. Ha, E. H. Jeong-Choi, K. H. Kim, J. E. Park, S. W. Kim, H. J. "Firefighters and posttraumatic stress disorder." *Korean J Biol Psychiatry* 24.1 (2017): 10-18.
- [24] Seo, S. W. "The effects of social support on the relaxation of firefighters PTSD." Master's Thesis, Kyonggi University, South Korea, 2015, p. 78.
- [25] Shin, H. J. How Empowerment and social support affect occupational stress of firefighters. *Fire Science and engineering*, 29.6 (2012): 139-146.
- [26] Shin, H. J. Kong, H. S. "A Study on the Structural Relationship among Occupational Stress, Psychological Wellbeing, and Stress-Coping Resource of Firefighters: Focused on Social Support and Self-Efficacy." *International Journal of IT-based Social Welfare Promotion and Management*, GVPress. 3.1 2016: 85-90.
<http://dx.doi.org/10.21742/IJSWPM.2016.3.1.15>
- [27] Shinn, N. Lehmann, S. Wong, N. "Social interaction and social support." *Journal of Social Issues*, 40.4 (1984): 55-70.
- [28] Tedeschi, R. G. Calhoun, L. G. "Posttraumatic growth: Conceptual foundations and empirical evidence." *Psychological Inquiry*, 15.1 (2004): 1-18..
- [29] Ursano, R. J. Fullerton, C. S. McCaughey, B. G. Individual and community responses to trauma and disaster : the structure of human chaos. New York: Cambridge University Press, 1994, p. 422.
- [30] Yoo, J. H. (The) relations of PTSD symptoms, emotional states, coping style and social support in urban fire fighters. University. Master's Thesis,

Catholic University, Republic of Korea, 2006, p. 71.

- [31] Yug, Y. S. “The effects of mindfulness based body-psychological exercise program on the reduction of post-traumatic stress (PTSD) symptoms in fire officials.” *Korean Journal of Sport Psychology*, 29.4 (2018): 57-73.